

REFERENCE LIST

SEMICONDUCTOR
SOLAR
PHARMA
POWER GENERATION
FOOD & BEVERAGE
PULP AND PAPER
CHEMICAL
OIL AND GAS
MINING
AEROSPACE AND TRANSPORT



An aquarion Group Company

Demineralisation & Condensate Polishing

Treatment in Power Stations and Industrial Power Plants



Client	Plant Type	Capacity
OOO EvroChim-BMU Belorechensk/Russia	Demineralisation plant Cation and anion exchangers, CO ₂ degassers, mixed bed exchangers, regeneration equipment	3 x 100 m ³ /h
Power plant Mainz-Wiesbaden Mainz/Germany	Demineralisation plant Deferrisation and demanganisation filters, cation and anion exchangers (UPCORE), CO ₂ degassers, mixed bed exchangers, regeneration equipment	2 x 42 m ³ /h
Alstom Tzafit/Israel	Demineralisation plant Gravel filters, Activated carbon filters, cation and anion exchangers (UPCORE), CO ₂ degassers, mixed bed exchangers, regeneration equipment, chemical storage tanks Waste water treatment Neutralisation	2 x 100 m ³ /h
Siemens Andong/Korea	Condensate treatment Cartridge filters, external regenerated mixed bed exchanger, regeneration equipment, chemical storage tanks	2 x 198 m ³ /h
Siemens Ansan/Korea	Condensate treatment Cartridge filters, external regenerated mixed bed exchanger, regeneration equipment, chemical storage tanks	2 x 345 m ³ /h
Alstom Power Rybnik/Poland	Condensate treatment Cartridge filters, cation and mixed bed exchangers, regeneration equipment, chemical storage tanks	2x 795 m ³ /h
Alstom Power Narva/Estonia	Pre-treatment Coagulation, flocculation, sedimentation, sandfilter, biofilter, backwashwater recycling and sludge dewatering unit Demineralisation plant Cation and anion exchangers (UPCORE), CO ₂ degassers, mixed bed exchangers regeneration equipment, chemical storage tanks Waste water treatment Neutralisation	1 x 55 m ³ /h 2 x 36 m ³ /h

Client	Plant Type	Capacity
ThyssenKrupp Uhde EG-EHC	Pre treatment Coagulation, flocculation, sedimentation, sand filter Cooling tower make-up water treatment Reverse osmosis Demineralisation plant Reverse osmosis, mixed bed exchangers Waste water treatment - ZLD Reverse osmosis, crystalliser	120 m ³ /h 120 m ³ /h 14 m ³ /h 28 m ³ /h
Siemens Hemweg/Netherlands	Boiler blow down recycling unit Balance tank, RO-EDI	2 x 8 m ³ /h
Ecolutia Gommiswald/Switzerland	3 x Pretreatment – Container Multimediafilter	150 m ³ /h
Siemens Toul/France	Demineralisation plant 2 stage RO system, membrane-degasification, EDI, dosing equipment	2 x 6 m ³ /h
KVA Bern/Switzerland	Demineralisation plant Softener, RO, dosing equipment, EDI	2 x 7.5 m ³ /h
Ecolutia Gommiswald/Switzerland	4 x Pretreatment – Container Multi-media filter 3 x Brackish water RO – Container	150 m ³ /h 55 m ³ /h
Power Holding Co of Nigeria, Egbin Power Plant, Lagos/Nigeria	Major refurbishment of existing power station Raw water pretreatment plant Chemical Dosing (Lime, Chlorine) Twin clarifiers Sand filtration Raw water & firefighting storage Carbon filtration & Potable water storage Demineralisation Plant GAC filtration, cation, anion and mixed bed ion exchangers Regeneration stations Chemical Bulk storage & measuring systems	300 m ³ /h 2 x 240 m ³ /h
Siemens AG Rotterdam/Netherlands	Demineralisation plant Gravel and activated carbon filtration, cation and anion exchangers, degasser, mixed bed exchangers, regeneration station, chemical storage, neutralisation	2 x 16 m ³ /h
Tractebel Brüssel/Belgium GDF Suez Wilhelmshafen	Demineralisation plant Cartridge filter, cation and anion exchangers, mixed bed exchangers, regeneration station, chemical storage Flue gas desulphurisation Precipitation, flocculation, sedimentation (2 staged) sand filter, sludge dewatering, chemical storage Boiler feed water with OIS Belgium as consortium partner	2 x 40 m ³ /h 1 x 40 m ³ /h

Client	Plant Type	Capacity
Perlen Papier AG Perlen/Switzerland	Demineralisation cation exchanger scavenger anion exchanger mixed bed exchanger	2 x 40 m ³ /h 1 x 40 m ³ /h 2 x 40 m ³ /h 1 x 60 m ³ /h
Alstom Power Plants RWE nPower, Pembroke UK	Demineralisation Raw Water storage & back-washable filters Ultrafiltration with CIP system RO pre-filters Double Pass RO units with CIP system Permeate storage & pumping Mixed bed exchangers Bulk storage & dilution systems for 96% H ₂ SO ₄ & 32% NaOH Neutralisation system	2 x 86 m ³ /h 2 x 84 m ³ /h 2 x 60 m ³ /h
Mondi Syktyvkar/Russia	Condensate polishing plant Cartridge filter, mixed bed exchanger, regeneration station, Condensate storage tank	3 x 400 m ³ /h
E.On Maasvlakte/Netherlands	Demineralisation Gravel and activated carbon filtration, RO, mixed bed, chemical storage Condensate polishing plant Cartridge filter, cation exchanger, mixed bed exchanger, neutralisation, dosing equipment	2 x 70 m ³ /h 2 x 650 m ³ /h
Siemens AG Lünen Germany	Cooling tower make-up water FLOCOPAC LC Demineralisation Gravel and activated carbon filtration, cation and anion exchanger, TOC - RO, mixed bed, chemical storage Condensate polishing plant Cartridge filter, cation exchanger, mixed bed exchanger, neutralisation	2 x 750 m ³ /h 2 x 25 m ³ /h 2 x 713 m ³ /h
KAB Takuma GmbH HKW Eisenhüttenstadt Germany	Cooling tower make-up water Gravel filter, dosing equipment Demineralisation Scavenger, cation and anion exchanger, TOC - RO, mixed bed exchanger, chemical storage Condensate polishing plant Activated carbon filter, cation exchanger, mixed bed exchanger, neutralisation, dosing equipment	300 m ³ /h 45 m ³ /h 180 m ³ /h
Alstom Power Systems GmbH RDK8 Karlsruhe Germany	Condensate polishing plant Cartridge filter, cation exchanger, mixed bed exchanger	2 x 752 m ³ /h
RWE Westfalen Germany	Cooling tower make-up water Flocculation, decarbonisation, sedimentation, Clarification reactor FLOCOPAC LC sludge treatment with band-pass filter	2 x 1,360 m ³ /h
E.ON Datteln Germany	Demineralisation Gravel and activated carbon filtration, cation and anion exchanger, TOC - RO, mixed bed, chemical storage Condensate polishing plant Cartridge filter, cation exchanger, mixed bed exchanger, neutralisation	2 x 85 m ³ /h 2 x 650 m ³ /h
Siemens PG Pont sur Sambre France	Cooling tower Biofiltration, denitrification, carbon removal, final filtration, belt thickener for rinsing waste water Biofit-FDN, BIOFIT FC	70 m ³ /h

Client	Plant Type	Capacity
RWE AG Niederaußem Germany	Cooling tower make-up water Flocculation, decarbonisation, sedimentation, Clarification reactor FLOCOPAC LC	4 x 4,000 m ³ /h
Vattenfall Cottbus Boxberg/Germany	WWTP Sand trap, flocculation, neutralisation, pre-settlement	700 m ³ /h
Siemens PG	Cooling tower make-up water	2 x 240 m ³ /h
Pont sur Sambre CCPP France	Flocculation, decarbonisation, sedimentation, Clarification reactor FLOCOPAC LC Production of boiler feed water (Demineralisation) Gravel filter, activated carbon filter, cation exchanger, degasser, anion exchanger, mixed bed exchanger	2 x 8 m ³ /h
Via Hitachi Oberhausen for Steag Walsum/Germany	FGD effluent treatment	84 m ³ /h
Alstom Power Spain S.A. Malaga Spain	Production of boiler feed water from municipal water after sewage treatment. Precipitation, flocculation, ultrafiltration, activated carbon filters, reverse osmosis 1+2, mixed bed, neutralisation	2 x 27.5 m ³ /h
Alstom Power Generation AG Maritsa/Bulgaria	Cooling tower make-up water (River water treatment) Flocculation, decarbonisation, sedimentation, Clarification reactor FLOCOPAC L Boiler feed water (demineralisation) Gravel filter, activated carbon filter, cation exchanger, and degasser, anion exchanger, mixed bed exchanger.	2 x 1,100 m ³ /h 2 x 42 m ³ /h
Alstom Power Italia S. p. a. Gissi/Italy	Production of boiler feed water from municipal water after sewage treatment. Zero discharge plant Precipitation, flocculation , ultrafiltration, activated carbon, reverse osmosis, mixed bed, evaporator, neutralisation	2 x 25 m ³ /h
Eon Engineering GmbH Scholven/Germany	Treatment of wastewater resulting from flue gas desulphurisation Extension by mercury removal Refitting during normal operation	
Siemens Power Generation Hamm Uentrop/Germany	Cooling tower make-up water (River water treatment) Flocculation, decarbonisation, sedimentation, Clarification reactor FLOCOPAC L Boiler feed water (demineralisation) Gravel filter, activated carbon filter, cation exchanger, degasser, anion exchanger, mixed bed exchanger. Condensate Polishing Cartridge Filter (backwash), external regenerated mixed bed exchanger	2 x 500 m ³ /h 2 x 16 m ³ /h 2 x 195 m ³ /h
RWE AG Essen/Germany KW Niederaußem	Automation of the demin plant Optimization of the process water plant in Block BoA 1. The demineralisation plant with a capacity of is being upgraded, extended by a regeneration station and automated.	2 x 220 m ³ /h
E.On Engineering GmbH Datteln/Germany	Treatment of wastewater resulting from flue gas desulphurisation Extension by mercury removal Refitting during normal operation	
Siemens PG Ras Laffan Qatar	Boiler feed water (demineralisation) Mixed bed after evaporation	2 x 90 m ³ /h

Client	Plant Type	Capacity
Petrom SA Pitesti/Romania	Treatment of process condensate Cation exchanger, degasser, mixed bed Demineralisation plant Gravel filter, cation and anion exchanger, mixed bed	2 x 15 m ³ /h 2 x 55 m ³ /h
Minera Escondida Ltda. Via Aguasin Lt.a Chile	River water treatment Flocculation, decarbonisation, sedimentation, Clarification reactor FLOCOPAC-I Reverse osmosis	1 x 350 m ³ /h 2 x 80 m ³ /h
Mark-E AG Herdeke/Germany	Refurbishment and optimisation of the demineralisation plant and the condensate polishing plant.	
Eon Engineering GmbH Schkopau/Germany	Treatment of wastewater resulting from flue gas desulphurisation Extension of capacity Refitting and extension largely including existing components during normal plant operation.	25 m ³ /h
Südzucker Bioethanol GmbH Zeitz/Germany	Boiler feed water Gravel filter, decarbonisation, reverse osmosis, degasser, mixed bed. Process water treatment Ultrafiltration, reverse osmosis. Anaerobic-aerobic waste water treatment ANAFIT-FB / BIOFIT-H / FILTRO-B	2 x 40 m ³ /h 2 x 50 m ³ /h 235 m ³ /h 11.1 t BOD/d
Formosa Petrochemie Corporation Taiwan	Condensate Polishing PW Mixed bed	2 x 300 m ³ /h
Nan Ya Plastic Corp. Taiwan	River water treatment Flocculation, Sedimentation System FLOCOPAC-L Sand filtration System FILTRO-G	1 x 5,000 m ³ /h 1 x 1,250 m ³ /h
Uhde GmbH, Dortmund For Saudi Arabia Fertiliser Company	Treatment of condensate cartridge filter: Cartridge filter, mixed bed exchanger Treatment of Deionate (desalination): Activated carbon filter, cation exchanger, trickling degasser, anion exchanger	3 x 400 m ³ /h 2 x 300 m ³ /h
Infraserv Gendorf Burgkirchen/Germany	Demineralisation: Cation exchanger, anion exchanger	2 x 180 m ³ /h
Siemens PG Madrid For Gas Natural in Arrubal/Spain	Cooling tower make-up water (River water and sludge treatment) Flocculation, Clarification reactor FLOCOPAC-L Treatment of Deionate: Sand filter, activated carbon filter, cation exchanger, irrigator, degasser, anion exchanger, mixed bed filter	2 x 815 m ³ /h 1 x 130 m ³ /h
NBCC Choibalsan/Mongolia	Boiler feed water treatment: Softener Reverse osmosis NOVALIS	50 m ³ /h
Uhde GmbH, Dortmund For Qatar Fertiliser Company	Treatment of Turbine condensate: Cartridge filter, mixed bed filter Treatment of Process condensate: Cartridge filter, cation exchanger, anion exchanger, mixed bed filter Treatment for Demin Water: Activated carbon filter, cation exchanger, anion exchanger	2 x 350 m ³ /h 2 x 170 m ³ /h 2 x 110 m ³ /h

Client	Plant Type	Capacity
Kuo Kuang Power Company Taiwan Through Siemens AG Power Generation Erlangen/Germany	Make-up water treatment: Demineralisation Condensate treatment: Cartridge filter Wastewater treatment: Neutralisation, flocculation, precipitation, sludge treatment	20 m³/h 235 m³/h 15 m³/h
Power Station RUS-Nowoworonesh through KAB- AG Berlin/Germany	Pre-treatment: Destabilisation, flocculation and precipitation, FLOCOPAC-L Demineralisation: Weakly and strongly acid cation exchanger, weakly basic anion exchanger, CO ₂ trickling degasser, strongly basic anion exchanger Mixed bed exchanger as polishing stage	200 m³/h 3 x 100 m³/h
Siemens Ltd. Huntstown/Republic of Ireland	Make-up water treatment: Gravel filter, activated carbon filter, trickling degasser, 2-stage reverse osmosis, CONTIPUR (CEDI), dosing plant	2 x 10 m³/h
Formosa Plastic Taiwan	Extension River water treatment Flocculation, Sedimentation System FLOCOPAC-L	2 x 3,000 m³/h
Stadtwerke Rosenheim Rosenheim/Germany	Boiler feed water treatment: Reverse osmosis, EDI	10 m³/h
Starck Goslar/Germany	Treatment of ultrapure working materials: Softener, Reverse osmosis, EDI	3.4 m³/h
Zuckerfabrik Jülich/Germany	Boiler feed water treatment: Demineralisation, CO ₂ removal, mixed bed exchanger Neutralisation and chemical storage	2 x 25 m³/h
HEW Hamburg/Germany	Demineralisation plant for make-up water: FLOCOPAC-L, multimedia filter, activated carbon filter, two-line demineralisation plant, cation and anion exchanger, mixed bed exchanger	2 x 120 m³/h
Hamberger Industriewerke Stephanskirchen Germany	Pure water for a high-pressure boiler (parquet production): Softener Ecosoft, reverse osmosis NOVALIS, membrane degasification, ContiPur (CEDI), tank	4.5 m³/h
Degrémont Santillo/Mexico	EDI plant for an EDF power generation station in Mexico: ContiPur (CEDI) comprising 4 stacks	11.4 m³/h
Borsodchem Kazincbarcika/Hungary	Extension of an already existing boiler feed water treatment plant: Cation exchanger, trickling degasser, reverse osmosis, mixed bed exchanger	2 x 122.5 m³/h
HEW Hamburg/Germany	Boiler feed water treatment: FLOCOPAC-L Multimedia filter Activated carbon filter Demineralisation plant Condensate treatment: Mixed bed exchanger	140 m³/h 3 x 60 m³/h 2 x 100 m³/h 2 x 120 m³/h 60 m³/h
RWE Niederaußem Germany	Condensate treatment: Cartridge filter and mixed bed exchanger	2 x 925 m³/h

Client	Plant Type	Capacity
Linde München/Germany	Boiler feed water treatment Demineralisation	1.5 m ³ /h
Katharinenhospital Stuttgart/Germany	Boiler feed water treatment Reverse osmosis NOVALIS	2.4 m ³ /h
Formosa Petrochemical Corp. RC-Mai-Lao	Demineralisation Cation/anion exchanger	8 x 500 m ³ /h
Chemopetrol a.s. Litvinov/ Czech Republic	Cooling tower make-up water Demineralisation Plant Softening	2 x 375 m ³ /h 3 x 275 m ³ /h 2 x 150 m ³ /h
VEAG AG Berlin KW Lippendorf Berlin/Germany	Cooling tower make-up water treatment: Cooling tower make-up water Wastewater treatment plant	2 x 2,400 m ³ /h 2 x 200 m ³ /h
Erhard Schwäbisch Gmünd/Germany	Boiler feed water treatment: Softening, reverse osmosis NOVALIS	3.5 m ³ /h
Schering Berlin/Germany	Boiler feed water treatment: Automation of an already existing partial treatment	15 m ³ /h
Schrader Ennigerloh Magdeburg/Germany	Boiler feed water treatment: Decarbonisation and softening	2 x 20 m ³ /h
WAG Wien/Austria	Boiler feed water treatment: Demineralisation - compound fluidised bed ion exchanger	50 m ³ /h
Stadtwerke Cottbus HKG Cottbus through ABB Mannheim Mannheim/Germany	Cooling tower make-up water Demineralisation plant Condensate polishing plant Condensate polishing plant	2 x 125 m ³ /h 2 x 50 m ³ /h 2 x 83 m ³ /h 2 x 71 m ³ /h
Mass Aritma Gebze-Kocaeli/Turkey	Boiler feed water treatment: Pre-filtration, fluidised bed ion exchanger (cation, anion, mixed bed exchanger)	25 m ³ /h
VEAG AG Berlin KW Boxberg Berlin/Germany	Cooling tower make-up water treatment	2 x 3,400 m ³ /h
Papierfabrik Palm Aalen/Germany for fab in Eltmann	Boiler feed water treatment: Filter for removal of manganese, desalination	14 m ³ /h
Wupperverband Wuppertal/Germany	Treatment of wastewater resulting from flue gas scrubbing: Pre-filter, heat exchanger, collecting station, two-stage neutralisation, precipitation/flocculation (Hg), sludge treatment, multi-media filter, chemical station	5 m ³ /h
BorsodChem Co. Ltd. Kazincbarcika/Hungary	Boiler feed water treatment: Softener, trickling degasser, reverse osmosis, permeate tank, mixed bed exchanger, DI water tank	450 m ³ /h
Formosa Petrochemical Corp. Taiwan	Cooling tower make-up water treatment: Cooling tower make-up water Decarbonisation Demineralisation plant	4 x 4,000 m ³ /h 8 x 500 m ³ /h 8 x 500 m ³ /h
EKO Eisenhüttenstadt through ELIN Berlin/Germany	Demineralisation: Gravel filter, cation exchanger, trickling degasser and anion exchanger	2 x 90 m ³ /h

Client	Plant Type	Capacity
TRV Buschhaus	Condensate polishing: Cation exchanger and mixed bed exchanger	150 m ³ /h
Boehringer Ingelheim/Germany	Demineralisation: Antiscalant dosing and reverse osmosis plant	2 x 50 m ³ /h
Unkel Würzburg/Germany	Demineralisation: Decarbonisation Reverse osmosis plant	30 m ³ /h 12 m ³ /h
Neckarwerke AG Power Station Gaisburg Stuttgart/Germany	Demineralisation Condensate polishing Turbine condensate polishing Condensate polishing from a remote heating facility	2 x 50 m ³ /h 3 x 100 m ³ /h 300 m ³ /h 100 m ³ /h
Felix Schoeller Weissenborn/Germany	Demineralisation: Cation-, anion- and mixed bed exchangers Condensate polishing: Cation- and mixed bed exchangers	2 x 15 m ³ /h 1 x 40 m ³ /h
STEAG AG Essen/Germany Leuna 2.000	Cooling tower make-up water treatment: Cooling tower make-up water Flocculation and sedimentation Filtration Reverse osmosis	2,000 m ³ /h 780 m ³ /h
VITKOVICE A.S. Ostrava/Czech Republic	Demineralisation	2 x 90 m ³ /h
ROW Rheinische Olefinwerke GmbH Wesseling/Germany	Treatment of wastewater resulting from flue gas desulphurisation	5 m ³ /h
Formosa Plastic Taiwan	River water treatment FLOCOPAC-L	4 x 3,000 m ³ /h
Kernkraftwerk Obrigheim Obrigheim/Germany	Demineralisation Mixed bed exchanger Mixed bed exchanger Reconstruction of neutralisation	2 x 40 m ³ /h 60 m ³ /h
Neckarwerke AG Altbach Power Station Esslingen/Germany	Demineralisation: Flocopac, gravel filter and H decarbonisation, Reverse osmosis plant and fluidised bed ion exchanger Condensate polishing: Pre-coat filter, cation exchanger and mixed bed exchanger	30 m ³ /h Ext. to 60 m ³ /h 730 m ³ /h
Neckarwerke Altbach Power Station Esslingen/Germany	Cooling tower make-up water treatment: Cooling tower make-up water Ash water treatment plant Flue gas desulphurisation wastewater treatment plant	2 x 600 m ³ /h 130 m ³ /h 15 m ³ /h
BEWAG Berlin Kraftwerk Oberhavel Berlin/Germany	Treatment of wastewater resulting from flue gas desulphurisation	6.5 m ³ /h
Hoechst Trevira GmbH Bobingen/Germany	Demineralisation: Reverse osmosis plant Condensate polishing: Cation-, anion- and mixed bed exchangers	3 x 17.5 m ³ /h 3 x 35 m ³ /h
Bayernwerk AG Munich Frauenaurach/Germany	Treatment of wastewater resulting from flue gas desulphurisation Demineralisation	16.5 m ³ /h 150 m ³ /h
Burda Offenburg/Germany	Demineralisation Continuous neutralisation	18 m ³ /h 13 m ³ /h

Client	Plant Type	Capacity
Michelin Reifenwerke KGaA Bad Kreuznach Germany	Demineralisation: Compound cation exchanger, CO ₂ trickling degasser, compound anion exchanger	25 m ³ /h
Müllverbrennungsanlage der GSB Ebenhausen (Sewage incineration plant) through GHH Borsig	Demineralisation: Compound cation exchanger SERVO-Cleanflow, CO ₂ trickling degasser, compound anion exchanger, thermal degasification	8/21 m ³ /h
Bayernwerk AG Munich Schwandorf Power Station Germany	Wastewater treatment	80 m ³ /h
Gas Turbine Power Station T-Map Ta Phut through GEC Alsthom Belfort/France	Pre-treatment: Destabilisation, flocculation and precipitation for treating reservoir water Demineralisation: Gravel filter, activated carbon filter strongly acid cation exchanger, CO ₂ trickling degasser, strongly basic anion exchanger Mixed bed exchanger as polishing stage	3 x 300 m ³ /h 2 x 140 m ³ /h
SP-Reifenwerke GmbH Dunlop Hanau/Germany	Treatment of re-circulation cooling water: Removal of iron and manganese, H decarbonisation with trickling degasser	2 x 100 m ³ /h
GKM Mannheim/Germany	Condensate polishing	2 x 750 m ³ /h
Bayernwerk AG Ingolstadt/Germany	Treatment of wastewater resulting from flue gas scrubbing: Treatment plant for fuel power station, block III (Same design as the treatment plant commissioned in 1990 for block IV)	10 m ³ /h
Belchatov Poland through ESTS Netherlands	Treatment of wastewater resulting from flue gas desulphurisation	20 m ³ /h
Heizkraftwerk SSK Guben through RWE Essen Germany	Industrial water treatment	110 m ³ /h
Stadtwerke Leipzig AG Leipzig/Germany	Demineralisation: Multi-media filter, compound cation exchanger, trickling degasser, compound anion exchanger Condensate polishing: Cartridge filter, fluidised bed cation exchanger and mixed bed exchanger	17 m ³ /h 190 m ³ /h
BASF Ludwigshafen Schwarzeide Germany	Treatment of wastewater resulting from flue gas desulphurisation	8 m ³ /h
GKM Mannheim/Germany	Make-up water treatment: - Cont. ECI as carboxyl phase - 2-stage reverse osmosis plant - Vacuum degasification	2 x 75 m ³ /h

Client	Plant Type	Capacity
Papierfabrik Scheufelen GmbH Lenningen Germany	Demineralisation: Cation exchanger, CO ₂ trickling degasser, anion exchanger	2 x 25 m ³ /h
	Condensate polishing: Activated carbon filter, cation exchanger, mixed bed exchanger	100 m ³ /h
MVA Nürnberg Nürnberg Germany	Treatment of wastewater resulting from a sewage incineration plant: Precipitation, flocculation and sedimentation, contact sludge reactor, Flocopac, post-filtration and sludge dewatering via filter press	5 - 40 m ³ /h
Stadtwerke Leipzig AG Leipzig/Germany	Demineralisation: Weakly acid cation exchanger, trickling degasser and reverse osmosis plant	194 m ³ /h
	Condensate polishing: Cation-, anion- and mixed bed exchangers	166 m ³ /h
Neckarwerke AG KW Altbach Esslingen/Germany	Treatment of wastewater resulting from flue gas desulphurisation (2nd stage)	18 m ³ /h
PreussenElektra KW Staudinger	Decarbonisation FLOCOPAC-L	1,100 m ³ /h
HKW Erfurt Ost through ENAG, Erfurt, Germany	Demineralisation	100 m ³ /h
	Condensate polishing	100 m ³ /h
Röhm GmbH Darmstadt/Germany	Demineralisation: Well water treatment with removal of iron and manganese, cation exchanger, CO ₂ trickling degasser	120 m ³ /h
	Condensate polishing: Anion- and mixed bed exchangers	80 m ³ /h
Gebrüder Lang GmbH Ettringen/Germany	Demineralisation: Multimedia filter, cation exchanger, CO ₂ trickling degasser, anion exchanger, mixed bed exchanger	25 m ³ /h
GKM Mannheim/Germany	Treatment of wastewater resulting from flue gas desulphurisation: Extension of an already existing system	2,000 m ³ /h
PreussenElektra KW Rostock	Cooling tower make-up water treatment:	2,000 m ³ /h
Agfa-Gevaert AG Leverkusen Germany	Demineralisation of photographic emulsion water: Pre-heating, decarbonisation, reverse osmosis plant, mixed bed exchanger	40 m ³ /h
Hoffmann La Roche Grenzach Grenzach/Germany	Make-up water treatment: Demineralisation (+ Multistep) (Fluidised bed ion exchanger)	2 x 150 m ³ /h
PreussenElektra KW Emden	Central process wastewater treatment	10 m ³ /h
GKM Mannheim/Germany Fab II	Central process wastewater treatment	80 m ³ /h

Client	Plant Type	Capacity
Stadtwerke München Power Station Nord Munich/Germany	Demineralisation: Compound cation exchanger SERVO-Cleanflow, CO ₂ trickling degasser, strongly basic anion exchanger, vacuum degasser	3 x 100 m ³ /h
Stadtwerke München Power Station Nord Munich/Germany	Heating water treatment: Pre-filter, strongly acid cation exchanger SERVO-Cleanflow, strongly basic anion exchanger, vacuum degasser	100 m ³ /h
Stadtwerke München Power Station Nord Munich/Germany	Condensate polishing: Pre-filter, cation exchanger SERVO-Cleanflow, externally regenerated mixed bed exchanger, separate back-rinsing/separation/regeneration column for cation exchanger, regeneration station, neutralisation	3 x 600 m ³ /h
Stadtwerke Bremen KW Hafen Germany	Treatment of wastewater resulting from flue gas desulphurisation Flue gas desulphurisation wastewater treatment plant with NH ₃ stripping Process wastewater treatment	10 m ³ /h 100 m ³ /h
Bayernwerk AG Ingolstadt Germany	Treatment of wastewater resulting from flue gas scrubbing in a fuel power station, block IV: Two-stage precipitation, flocculation, neutralisation and sedimentation plant + NH ₃ stripping, ammonia steam stripping, sludge dehydration	10 m ³ /h
Holtzmann E & Cie. GmbH Fab Maxau Karlsruhe/Germany	Demineralisation: Multi-media filter, cation exchanger, CO ₂ trickling degasser, compound anion exchanger, mixed bed exchanger	2 x 34 m ³ /h
Stadtwerke Bremen HKW Hastedt Germany	Treatment of wastewater resulting from flue gas desulphurisation Flue gas desulphurisation wastewater treatment plant with NH ₃ stripping Process wastewater treatment	10 m ³ /h 70 m ³ /h
Isar-Amper-Werke München Leininger Werk Block 5 Germany	Treatment of wastewater resulting from flue gas desulphurisation: Flue gas desulphurisation wastewater treatment plant with NH ₃ stripping Luwo-wash water	21.6 m ³ /h 1.8 m ³ /h
Hoechst AG (Infraserv) Frankfurt/M. Germany	Demineralisation: weakly acid cation exchanger, reverse osmosis plant, multistep system, SERVO PC monitoring system	300 m ³ /h
BASF AG Ludwigshafen Ludwigshafen Germany	Treatment of wastewater resulting from flue gas desulphurisation Two-line process Sludge dewatering	2 x 15 m ³ /h
GKM Mannheim/Germany Fab I	Central process wastewater treatment	80 m ³ /h
Deutsche Gasrußwerke GmbH & Co.KG. Dortmund/Germany	Demineralisation: Multi-media filter, cation exchanger, CO ₂ trickling degasser, anion- and cation exchangers Condensate polishing: Mixed bed exchanger	20 m ³ /h 100 m ³ /h

Client	Plant Type	Capacity
STEAG AG Essen Herne/Germany	Treatment of wastewater resulting from flue gas desulphurisation: Two-stage flue gas desulphurisation wastewater treatment plant, sludge dewatering	90 m ³ /h
Schoeller + Hoesch GmbH Gernsbach/Germany	Demineralisation: SERVO-Cleanflow	3 x 250 m ³ /h
STEAG AG Essen Walsum/Germany	Treatment of wastewater resulting from flue gas desulphurisation: Two-stage flue gas desulphurisation wastewater treatment plant, sludge dewatering	90 m ³ /h
STEAG AG Essen Lünen/Germany	Treatment of wastewater resulting from flue gas desulphurisation: Two-stage flue gas desulphurisation wastewater treatment plant, sludge dewatering	90 m ³ /h
Dillinger Hüttenwerke AG Dillingen/Germany	Demineralisation I: Fluidised bed cation and anion exchangers and mixed bed exchanger	55 m ³ /h
Dillinger Hüttenwerke AG Dillingen/Germany	Demineralisation II: Fluidised bed cation and anion exchangers and mixed bed exchanger	55 m ³ /h
Elektromark Hagen Werohl-Elverlingsen/Germany	Treatment of wastewater resulting from flue gas desulphurisation	34 m ³ /h
PreussenElektra Hannover KW Staudinger (e on) Germany	Treatment of wastewater resulting from flue gas desulphurisation	50 m ³ /h
Technische Werke Stuttgart AG Stuttgart (EnBW) Germany	Water treatment: Total water treatment: River waste water-treatment	75 m ³ /h 100 m ³ /h
KRC Würzburg Mannheim/Germany	Treatment of wastewater resulting from flue gas desulphurisation Flue gas desulphurisation wastewater treatment plant with NH ₃ stripping	20 m ³ /h
BEWAG AG Power Station Reuter West Berlin/Germany	Demineralisation: Fluidised bed cation and anion exchangers and mixed bed exchangers Heating water treatment: Softening Condensate polishing: Mixed bed cation exchanger	2 x 45 m ³ /h 3 x 110 m ³ /h 2 x 350 m ³ /h
BEWAG Berlin HKW Reuter Alt Germany	Treatment of wastewater resulting from flue gas desulphurisation	10 m ³ /h
BEWAG Berlin HKW Reuter/Germany	Treatment of water resulting from wet ash removal	2 x 135 m ³ /h
STEAG AG Essen KW Herne Germany	Treatment of wastewater resulting from flue gas desulphurisation	60 m ³ /h
Saarbergwerke AG Saarbrücken Fenne/Germany	Treatment of wastewater resulting from flue gas desulphurisation incl. biological reduction of formic acid	42 m ³ /h

Client	Plant Type	Capacity
Hoffmann La Roche Grenzach Grenzach/Germany	Make-up water treatment: Demineratisation (+ Liftbed) (Fluidised bed ion exchanger)	2 x 100 m³/h
Gemeinschaftskernkraftwerk Neckar GmbH (GKN) Neckarwestheim/Germany Block 2	Cooling tower make-up water treatment: Cooling tower make-up water (FLOCOPAC-L, sludge dewatering)	3 x 1,560 m³/h
Großkraftwerk Franken AG Erlangen/Germany	River water treatment	130 m³/h
Saarbergwerke AG Saarbrücken Bexbach/Germany	Treatment of wastewater resulting from flue gas desulphurisation incl. biological reduction of formic acid	53 m³/h
Oberösterreichische Kraftwerk AG Linz Riedersbach/Austria	Treatment of wastewater resulting from flue gas desulphurisation	15 m³/h
BEWAG Berlin HKW Reuter-West Germany	Cooling tower make-up water treatment: RPS and Sludge dewatering	2 x 1,100 m³/h
BEWAG Berlin HKW Rudow	Treatment of water resulting from wet ash removal	2 x 58 m³/h
Umm Al, Al Taweelah Abu Dhabi/ UAE through Borsig GMBH	Demineratisation: Mixed bed exchanger	3 x 80 m³/h
Umm Al, Al Taweelah Abu Dhabi/UAE through Borsig GmbH	Demineratisation: Mixed bed exchanger	160 m³/h
Neckarwerke AG Esslingen KW Altbach Block 5	Flue gas desulphurisation wastewater treatment plant Ash water treatment Condensate polishing plant Demineratisation plant Cooling tower make-up water (RPS with sludge-dewatering)	15 m³/h 100 m³/h 2 x 600 m³/h 2 x 35 m³/h 2 x 600 m³/h
Badenwerk AG Karlsruhe/Germany RDK Block 7	Treatment of wastewater resulting from flue gas desulphurisation: Flue gas desulphurisation wastewater treatment plant Process water treatment	14 m³/h 50 m³/h
EVS AG Stuttgart KW Heilbronn Germany	Flue gas desulphurisation wastewater treatment plant (85) Condensate polishing plant Demineratisation Plant (84/85) Ash water treatment Cooling tower make-up water (RPS with sludge-dewatering)	60 m³/h 2 x 750 m³/h 2 x 100 m³/h 60 – 120 m³/h 2 x 1,000 m³/h
HEW Hamburg KW Tiefstack Germany	Ash transport water-treatment: Flocculation with FLOCOPAC-CL	60 m³/h
GKM Mannheim Block 7 Neckarau Germany	Demineratisation Condensate polishing (Fluidised bed ion exchanger)	2 x 100 m³/h 2 x 750 m³/h

Client	Plant Type	Capacity
Gemeinschaftskernkraftwerk Neckar GmbH Neckarwestheim Germany	Demineralisation: Continuously operating SERVO-Kontimat consisting of cation- and anion exchangers, parallel regeneration in separate columns	70 m ³ /h
MVA Geisselbullach/V through GfA GmbH	Treatment of wastewater resulting from a sewage incineration plant: Flocculation, precipitation, lamellar clarifier, sludge filtration Particularities: Wastewater containing NOX and organic sulphuric compounds	15 m ³ /h
Northern Power Station through ETSA Port Augusta/Australia	Condensate polishing: Externally regenerated mixed bed exchangers	2 x 750 m ³ /h
Kali-Chemie AG Heilbronn/ Germany	Demineralisation	85 m ³ /h
NEWAG + VKG Wien Dürnrohr/Austria	Ash transport water-treatment: Flocculator, RP thickener, filtration	100 m ³ /h
VEW Dortmund KW Westfalen B Germany	Filter backwash wastewater treatment: Flocculation with FLOCOPAC-CL	18 m ³ /h
Badenwerk AG Karlsruhe Rheinhafen Dampfkraftwerk	Condensate polishing	2 x 540 m ³ /h
HEW Hamburg/Germany - KW Karoline 1984 - KW Tiefstack 1983 - KW Harburg 1983 - KW Hafen 1983	Filter backwash wastewater treatment Filter backwash wastewater treatment plant Flocculation with FLOCOPAC-CL	27.5 m ³ /h 15 m ³ /h 40 m ³ /h 25 m ³ /h
Hoechst AG Frankfurt/M. Germany	Demineralisation	380 m ³ /h
Berliner Entwässerungswerke Berlin/ Germany	Demineralisation	2 x 70 m ³ /h
RWE Essen Dettingen/ Germany	Condensate polishing	270 m ³ /h
Saarbergwerke Saarbrücken KW Bexbach/ Germany	Cooling tower make-up water treatment: FLOCOMAT-T and sludge-dewatering	1 x 2,000 m ³ /h
BKB Helmstedt KW Buschhaus/ Germany	Cooling tower make-up water treatment: Quick reactor FLOCOPULS-S	3 x 333 m ³ /h 2 x 500 m ³ /h
KWU Offenbach Kraftwerk Daura/Iraq	Preliminary treatment Demineralisation (reverse osmosis)	2 x 25 m ³ /h
Saarbergwerke Saarbrücken Völklingen/ Germany	Cooling tower make-up water treatment: Cooling tower make-up water (FLOCOPULS-S) Condensate polishing plant Demineralisation plant	800 m ³ /h 2 x 230 m ³ /h 2 x 25 m ³ /h

Client	Plant Type	Capacity
GKM Mannheim Neckarau/ Germany Block 7	Make-up water treatment: Make-up water treatment RPS Reverse-osmosis ECI process O ₂ elimination Demineralisation plant Condensate polishing plant	290 m ³ /h 210 m ³ /h 220 m ³ /h 220 m ³ /h 200 m ³ /h 1,200 m ³ /h
SEVC-Melbourne Melbourne/Australia	Condensate polishing: Externally regenerated mixed bed exchangers	3 x 522.5 m ³ /h
Endessa Puentes/Spain	Treatment of slake water: Flocculation, sedimentation, lamellar clarifier	2 x 400 m ³ /h
Degussa Rheinfelden Rheinfelden/ Germany	Demineralisation (Liftbed)	2 x 60 m ³ /h
STEAG-RWE Essen Voerde/Germany	Cooling tower make-up water treatment: (RPS)	3 x 1,350 m ³ /h
RWE Essen KW Dettingen Dettingen/Main/Germany	Condensate polishing (Fluidised bed ion exchanger)	2 x 70 m ³ /h
Coutinho, Caro & Co Indonesia	Demineralisation (Fluidised bed ion exchanger)	2 x 220 m ³ /h
Bayernwerk AG München KW Schwandorf Germany	Filter backwash wastewater treatment: FLOCOPAC-CL and sludge dewatering	130 m ³ /h
EW Mark Hagen KW Elverlingsen Elverlingsen/Germany	Demineralisation (Fluidised bed ion exchanger)	2 x 25 m ³ /h
BfA Bundesversicherungsanstalt Berlin/Germany	Demineralisation (Fluidised bed ion exchanger)	2 x 25 m ³ /h
Krauss Maffei München München/Germany	Demineralisation (Fluidised bed ion exchanger)	2 x 15 m ³ /h
Saabergwerke Weiher/Germany	Condensate polishing (Cat + MB)	400 m ³ /h
KWU- Contract Cadefo/Venezuela	Condensate polishing (Cat + MB)	2 x 400 m ³ /h
Esso Chemie Köln/Germany	Condensate polishing (Cat + MB)	2 x 155 m ³ /h
Sadtwerke Mainz Mainz/Germany	Condensate polishing (MB)	400 m ³ /h
RWE- Essen KW Neurath/Germany	Condensate polishing (MB)	1,800 m ³ /h
Gemeinschaftskraftwerk Weser GmbH KW Veltheim/Germany	AMA- Cartridge filter unit	2 x 350 m ³ /h
RWE- Essen KW Neurath/Germany	AMA- Cartridge filter unit	3 x 750 m ³ /h
Schering AG KW Charlottenburg/Germany	Condensate polishing (MB)	15 m ³ /h
GKW KW Veltheim/Germany	Condensate polishing (MB)	315 m ³ /h

Client	Plant Type	Capacity
RWE- Essen KW Weisweiler/Germany	Condensate polishing (MB)	3 x 1,200 m ³ /h 3 x 1,400 m ³ /h
VEW Dortmund Lingen/Germany	Condensate polishing (2 Cat + 1 MB)	2 x 250 m ³ /h 1 x 500 m ³ /h
RWE- Essen KW Weisweiler/Germany	AMA- Cartridge filter unit	6 x 600 m ³ /h
GKM Mannheim/Germany	AMA- Cartridge filter unit	300 m ³ /h
Firma Praeg KW Borken/Germany	AMA- Pre coat filter unit	200 m ³ /h
Firma Praeg KW Staudinger/Germany	AMA- Pre coat filter unit	2 x 400 m ³ /h
Firma Dynamit Nobel Werk Lülsdorf/Germany	AMA- Pre coat filter unit	50 m ³ /h
Firma KWU, Erlangen KKW Vorssele/Netherlands	AMA- Pre coat filter unit (radioactive water)	40 m ³ /h
RWE- Essen KW Niederaussem/Germany	AMA- Cartridge filter unit	2 x 720 m ³ /h
GKM Mannheim Mannheim, Block 5 Germany	Condensate polishing (MB)	400 m ³ /h
NKW KW Emden/Germany	Condensate polishing (Cat + MB)	2 x 500 m ³ /h
RWE- Essen KW Niederaussem/Germany	Condensate polishing (MB)	1,200 m ³ /h
VEW KKW Lingen Germany	Condensate polishing (MB)	500 m ³ /h
RWE- Essen KW Weisweiler/Germany	Condensate polishing (MB)	3 x 1,200 m ³ /h
NWK Wilhelmshaven/Germany	Condensate polishing (MB)	2 x 800 m ³ /h
Stewaeg for Fernheizkraftwerk Graz	AMA- Cartridge filter unit	70 m ³ /h
RWE- Essen KW Neurath/Germany	Condensate polishing (MB, externally regenerated)	4 x 3,000 m ³ /h
Stadtwerke Frankfurt/ M. Germany	Condensate polishing	220 m ³ /h
Hamburgische Elektrizitätswerke KW Tiefstack/Germany	Condensate polishing	15 m ³ /h
Hamburgische Elektrizitätswerke KW Carolinenstrasse/Germany	Condensate polishing	80 m ³ /h
Norddeutsche Papierwerke GmbH Düsseldorf- Reisholz/Germany	Condensate polishing	100 m ³ /h

Client	Plant Type	Capacity
Rheinische AG f. Braunkohlenbergbau KW Fortuna, Köln Germany	Condensate polishing	720 m³/h
RWE- Essen KW Niederaussem I/Germany	Condensate polishing	360 m³/h
RWE- Essen KW Niederaussem II/Germany	Condensate polishing	360 m³/h
Preußische Elektrizitäts- AG KW Borken, Hannover/Germany	Condensate polishing	10 m³/h
Preußische Elektrizitäts- AG KW Heyden, Hannover/Germany	Condensate polishing	260 m³/h
Preußische Elektrizitäts- AG KW Wölfersheim, Hannover Germany	Condensate polishing	140 m³/h
Chemische Werke Hüls Marl Germany	Condensate polishing	150 m³/h
Bergische Elektrizitätsversorgung KW Elberfeld/Germany	Condensate polishing	216 m³/h
Bewag KW Moabit/Germany	Condensate polishing	100 m³/h
Bewag KW Charlottenburg/Germany	Condensate polishing	120 m³/h
Bewag KW Steglitz/Germany	Condensate polishing	40 m³/h
Bewag KW Spandau/Germany	Condensate polishing	75 m³/h
Bewag KW Rudow/Germany	Condensate polishing	160 m³/h
Rheinpreußen KW Moers/Germany	Condensate polishing	210 m³/h
Sydosts Jællands Elektrizitets Haslev, Denmark	Condensate polishing	270 m³/h
Gemeinschaftswerk Hattingen Germany	Condensate polishing	420 m³/h
Neckarwerke Esslingen KW Altbach/Germany	Condensate polishing	100 m³/h
Neckarwerke Esslingen KW Walheim/Germany	Condensate polishing	70 m³/h
Gemeinschaftskraftwerk Weser Veltheim/Germany	Condensate polishing	230 m³/h
Altenessener Berkwerke AG KW Emscher/Germany	Condensate polishing	270 m³/h

Client	Plant Type	Capacity
Carl Freudenberg KG Weinheim/Germany	Condensate polishing	100 m³/h
Saarbergwerke AG KW Weiher/Germany	Condensate polishing	460 m³/h
Rheinstahl Bergbau AG KW Marl/Germany	Condensate polishing	300 m³/h
Vereinigte Glanzstoff- Fabriken AG Werk Obernburg Germany	Condensate polishing	180 m³/h
Gruppenkraftwerk Herne Essen/Germany	Condensate polishing	680 m³/h
KW Siersdorf, Kohlscheid Germany	Condensate polishing	340 m³/h
VEW Dortmund/Germany	Condensate polishing	600 m³/h
Deutsche Linoleum- Werke AG Maximiliansau/Germany	Condensate polishing	40 m³/h
Papier und Zellstoff- Fabrik Teisnach/Germany	Condensate polishing	40 m³/h
Bayernwerk AG DKW Aschaffenburg/Germany	Condensate polishing	350 m³/h
Bayernwerk AG DKW Aschaffenburg/Germany	Condensate polishing	110 m³/h
Vereinigte Aluminium Werke AG Nabwerk, Schwandorf/Germany	Condensate polishing	80 m³/h
Stadtwerke München München/Germany	Condensate polishing	350 m³/h
HKS Helsinki KW Hanasaari/Finland	Condensate polishing	60 m³/h
Bergwerkgesellschaft Hibernia AG KW Datteln/Germany	Condensate polishing	150 m³/h
Stadtwerke Braunschweig KW Uferstrasse/Germany	Condensate polishing	200 m³/h
Großkraftwerk Mannheim AG KW Neckarau/Germany	Condensate polishing	840 m³/h
Københavns Belysningsvasen Kopenhagen/Netherlands	Condensate polishing	800 m³/h
Nordwestdeutsche Kraftwerke AG KW Emden/Germany	Condensate polishing	300 m³/h
KW Badalona, Spain	Condensate polishing	320 m³/h
I/S Nordjyllands Elektricitetsforsyning KW Norresundby/Denmark	Condensate polishing	300 m³/h
Stadtwerke Neumünster/Germany	Condensate polishing	100 m³/h
Neckarwerke Esslingen DKW Walheim/Germany	Condensate polishing	150 m³/h

Client	Plant Type	Capacity
Stadtwerke Düsseldorf KW Lausward, Block D Germany	Condensate polishing	320 m ³ /h
Braunschweigische Kohlen-Bergwerke KW Offleben/Germany	Condensate polishing	240 m ³ /h
RWE- Essen KW Niederaussem I/ 3 Germany	Condensate polishing	700 m ³ /h
Bewag KW Reuter/Germany	Condensate polishing	240 m ³ /h
Bewag KW Reuter/Germany	Condensate polishing	270 m ³ /h
VEW KW Westfalen/Germany	Condensate polishing	600 m ³ /h
RWE- Essen KW Niederaussem/Germany	Condensate polishing	700 m ³ /h

H+E ranks among the world's leading suppliers in the fields of: water & wastewater treatment, and energy efficiency. Based on its global presence, the **H+E GROUP** has completed projects in over 50 countries.



HAGER+ELSÄSSER

An  aquarion Group Company

Tel: +44 1403 272772

sales@he-water.co.uk

www.he-water.co.uk